

Contents

1	Layout of the Graphical User Interface (GUI)	9
2	Coordinate Systems	13
2.1	Coordinates of the Model (CS1)	13
2.1.1	Further Components of the Model	14
2.1.2	Floating Point Numbers or Fixed Point Numbers ?	15
2.2	Coordinates of the Canvas (CS2)	17
2.3	Coordinates of the Graphical User Interface (CS3)	19
3	Key Figures and Terms	21
3.1	Scale and Paper Size	21
3.2	Zoom-Factor	22
3.2.1	Minimal and Maximal Zoom Factor	22
3.2.2	Multiplier	23
3.3	Objects	24
3.3.1	Primitive Objects	24
3.3.2	Complex Objects	27
3.4	Drawing Frame and Title Block	29
3.4.1	Modelling	31
3.5	Bounding Box in General	32
3.6	Bounding Box of the Model	34
3.6.1	Dimensions of the Bounding Box	35
3.6.2	Boundaries of the Bounding Box	35
3.6.3	Position of the Bounding Box	36
3.7	Base-Offset	38
3.8	Initial Size of the Scrolled Window	39
3.9	Visible Area of the Model	41
3.10	Scrollbars	42
3.11	Position of the Pointer (Mouse Pointer)	43
3.12	Position of the Cursor	43
3.13	Zoom Center	44
3.14	Translate-Offset	45
4	Conversions Between Coordinate Systems	47
4.1	Distances and Lengths Between CS1 and CS2	47
4.2	Conversions Between Real and Virtual Model Coordinates	48
4.2.1	From Real to Virtual	48
4.2.2	From Virtual to Real	48
4.3	From Model to Canvas	49
4.4	From Canvas to Model	50

5	Initializing	51
5.1	Computing the Bounding Box	53
5.1.1	Details on the Computation	55
5.2	Computing the Base-Offset	60
5.2.1	Y-Axis	60
5.2.2	X-Axis	62
5.3	Scrollbars	64
5.3.1	Vertical Scrollbar	64
5.3.2	Horizontal Scrollbar	66
5.4	Zoom To Fit	68
5.4.1	Size Ratio of Scrolled Window to Rectangular Area	69
5.4.2	Center Rectangular Area on Visible Area	70
5.5	Dimensions of the Canvas	72
5.5.1	Static Configuration	72
5.5.2	Dynamic Configuration	78
6	Operational Mode	81
6.1	Zoom-To-Fit	81
6.2	Zoom-To-Area	82
6.2.1	Primary Area Selection in the Model	83
6.2.2	Visualizing on the Canvas	84
6.3	Computing the Translate-Offset While Zooming	85
6.3.1	Canvas Point as Center	86
6.3.2	Real Model Point as Center	87
6.4	Changings of the Scrollbars While Zooming	88
6.4.1	Horizontal Scrollbar	91
6.4.2	Vertical Scrollbar	92
6.5	Size of the Scrolled Window, Canvas and Scrollbars	93
6.5.1	Detecting the Change of Size	94
6.5.2	Restoring the Scrollbar Configuration	94
6.5.3	Synchronization of Lower Edge of the Image with Scrolled Window	95
6.5.4	Operation Modes of the View	97
6.6	Drawing on the Canvas	106
6.6.1	Computing the Visible Area	107
6.6.2	Computing the Grid	109
6.6.3	Drawing the Grid	113
6.6.4	Drawing the Origin	117
6.6.5	Drawing the Cursor	117
6.6.6	Area Check	118
6.6.7	Size Check	120
6.6.8	Drawing Frame and Title Block	121
6.6.9	Drawing Complex Objects	122
6.6.10	Triggering the Redrawing	125
6.6.11	Notes on GTK/Cairo Routines	126
7	Drawing to Scale	127
7.1	Entry Points	130
7.1.1	Importing Design Files	130
7.1.2	Converting the Drawing Grid	131
7.2	Exit Points	132

8	How to Use the Demo Programm	133
8.1	Navigation on the Canvas	134
8.1.1	Moving the Scrolled Window	134
8.1.2	Zooming In and Out	134
8.1.3	Zoom To Fit	134
8.1.4	Zoom To Area	134
8.1.5	Cursor	135
9	Source Code	137
9.1	Main File	138
9.2	The Package demo_frame	140
9.2.1	Specification	140
9.2.2	Body	142
9.3	The Package demo_objects	145
9.3.1	Specification	145
9.3.2	Body	149
9.4	The Package demo_grid	159
9.4.1	Specification	159
9.4.2	Body	162
9.5	The Package demo_canvas	167
9.5.1	Specification	167
9.5.2	Body	169
9.6	The Package demo_bounding_box	173
9.6.1	Specification	173
9.6.2	Body	175
9.7	The Package demo_base_offset	180
9.7.1	Specification	180
9.7.2	Body	181
9.8	The Package demo_callbacks	183
9.8.1	Specification	183
9.8.2	Body	188
9.9	The Package demo_main_window	205
9.9.1	Specification	205
9.9.2	Body	206
9.10	The Package demo_scrolled_window	208
9.10.1	Specification	208
9.10.2	Body	211
9.11	The Package demo_coordinates_display	218
9.11.1	Specification	218
9.11.2	Body	220
9.12	The Package demo_zoom	227
9.12.1	Specification	227
9.12.2	Body	231
9.13	The Package demo_visible_area	236
9.13.1	Specification	236
9.13.2	Body	238
9.14	The Package demo_buttons	241
9.14.1	Specification	241
9.14.2	Body	242
9.15	The Package demo_conversions	244
9.15.1	Specification	244

9.15.2	Body	246
9.16	The Package <code>demo_cursor</code>	249
9.16.1	Specification	249
9.16.2	Body	251
9.17	The Package <code>demo_drawing_origin</code>	255
9.17.1	Specification	255
9.17.2	Body	256
9.18	The Package <code>demo_geometry</code>	258
9.18.1	Specification	258
9.18.2	Body	261
9.19	The Package <code>demo_logical_pixels</code>	266
9.19.1	Specification	266
9.19.2	Body	268
9.20	The Package <code>demo_primitive_draw_ops</code>	270
9.20.1	Specification	270
9.20.2	Body	272
9.21	The Package <code>demo_scale</code>	275
9.21.1	Specification	275
9.21.2	Body	277
9.22	The Package <code>demo_translate_offset</code>	280
9.22.1	Specification	280
9.23	The Package <code>demo_visibility</code>	281
9.23.1	Specification	281
9.23.2	Body	282
9.24	The Package <code>window_dimensions</code>	283
9.24.1	Specification	283
9.24.2	Body	284
10	Compiling and Executing the Demo Program	285
10.1	Downloading the Binary File	285
10.1.1	System Requirements	285
10.2	Compiling the Source Code	286
10.2.1	System Requirements	286
10.2.2	Compiling	287
10.3	Launching the Binary File	288
11	Miscellaneous	289
11.1	Why <i>Ada</i> ?	289
11.2	Why GTK3 ?	289
11.3	Why Version Control ?	289